

This test report supersedes report number **EEL13/0479/1185** dated **September 09, 2013**

CHI NHANH CONG TY TNHH SAN XUAT – THUONG MAI HA PHONG- XUONG SAN XUAT
LO A2, DUONG SO 1, KHU CONG NGHIEP XUYEN A, XA MY HANH BAC,
HUYEN DUC HOA, TINH LONG AN,
VIETNAM

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample description : AIR CUSHION AB210PESD


Sample Receiving Date : August 14, 2013

Testing Period : August 15 to September 09, 2013

Test Requested : As applicant's requirement

Test Result(s) : Please refer to next page(s)

Signed for and on behalf of
SGS Vietnam Ltd



Tran Thi Lien
Hardline and E&E Lab Manager

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

098473

Test result(s)

Surface Resistivity (*)

Test Equipment:

Name	Brand	Model
INSULATION TESTER	TOA	SM-8220
ELECTRODE	TOA	SME-1044

Lab Environmental Conditions:

Ambient Temperature: 23±2°C
 Relative Humidity: 50±5%RH

Test Method:

ASTM D257-07

Standard Test methods for DC Resistance or Conductance of Insulating Materials

Test Condition:

Voltage : 500 V
 Time : 60 sec

Result:

Test Items	Test Result(s)	
	ARI Cushion AB210	
	Bubble	Smooth
Surface Resistivity(Ω)	1.56×10 ¹¹	2.67×10 ¹⁰

Note: (*) The test was performed by SGS Taiwan.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

098474

